

Digital Resistance during COVID-19: Customer Acceptance of Contactless Purchasing

Yang Lu^{1, *}

¹School of Computing and Artificial Intelligence, Beijing Technology and Business University, Beijing, China 102401

*Email: ziyuu@gmail.com

Abstract

The COVID-19 pandemic has stimulated the shift of work and life from the physical to a more digital format. In order to both survive and thrive, companies have integrated more digital-enabled elements into their businesses to facilitate resilience, often by avoiding potential close physical contact. Following Design Science Research Methodology (DSRM), this paper builds a workflow management system for contactless digital resilience when customers are purchasing in a store. Customer behavior, in coping with digital resilience against COVID-19, is illustrated and is empirically tested, using a derivative model in which the proposed constructs are from classical theories. Data was collected from individual customers via the Internet, and 247 completed questionnaires were examined by partial least squares (PLS) modeling.

The findings show that response costs have a positive significant effect on customers' behavioral intention to adopt digital resilience measures, while self-efficacy plays a negative role on customers' behavioral intentions. The findings reveal that, during the COVID-19 pandemic, customers are more concerned about health issues and put more effort into the deployment of digital resilience to mitigate the consequences of the virus. These results contribute to management information systems, customer behavior research, and design science methodology by emphasizing that, even beyond the performance of technology itself, another factor (the health issue) can play the key role in customers' acceptance of digital resilience.

Keywords: Digital resilience, COVID-19, Design Science Research Methodology (DSRM), workflow management system, SIR (susceptible-infectious-removed) model.

Article History:

Received January 05, 2023

Revised March 20, 2023

Accepted April 01, 2023

Available Online April 12, 2023

Digital Resistance during COVID-19: Customer Acceptance of Contactless Purchasing

1.Introduction

Until the end of September 2020, the cumulative number of confirmed cases of COVID-19, worldwide, stood at 34.1 million. The number of deaths, at that point in time, was 1.02 million¹. The COVID-19 pandemic has caused dramatic damage and has thoroughly changed organizations' operating modes, as well as people's lives and habits. Close physical contact is the major reason given for the fast spread and infection of COVID-19 (Guan et al., 2020; Wu & McGoogan, 2020; Sohrabi et al., 2020). As one effective measure, digital resilience is being deployed, and it is quickly being improved to its highest level, in order to mitigate the influence of the pandemic. Both companies and individuals hold virtual meetings instead of face-to-face ones. Since the inception of COVID-19, the popular virtual communication and conference software called ZOOM's stock price has skyrocketed to the price of \$559 on October 16, 2020, up from around \$70 in January 2020.

Close physical contact² happens among people every day; contact is unavoidable. Walmart provides three types of grocery shopping: purchasing at a local store (conventional), ordering online with pickup (blended), and ordering online with delivery (e-commerce). It is important to continue to offer the conventional purchasing style, since many customers still prefer to select their food themselves or because certain categories of food are not available when using the other two purchasing styles. Because of this, there is an urgent need for businesses to assist their customers in avoiding potential close physical contact. This study focuses on the first purchasing style, conventional purchasing, by designing a digital resilience workflow management system that helps customers avoid potentially close physical contact when they are purchasing in a store. This robust and applicable digital infrastructure will enhance companies' resilience in fighting against the virus and will assist in making more profitable businesses, as well.

As the groundwork of information systems, digital resilience describes an organization's capability to deal with unexpected disruptions, in order to continue doing business and to be successful after the emergency. Digital resilience has the potential to change not only an organization's operating modes, but also people's behavior and habits. When they are trying to mitigate the influences of the COVID-19 pandemic, companies, for their businesses to benefit, need to deploy more resiliency-related digital techniques; individual customers, for their health, need to cope with these resiliency-related digital strategies in order to avoid potential infection. Information systems is an important discipline that can be used to explore insights that can help to resolve the many issues caused by the unexpected COVID-19 disruption. Digital resilience can be achieved through information systems' integration of high technology with advanced devices. A well-designed digital resilience workflow management system can sustain businesses' continuity and can mitigate the impact of COVID-19. Our research lies mainly in helping information systems to find a way to accelerate digital resilience during the COVID-19 period.

This study articulates three objectives:

¹ Source: (WHO) <https://covid19.who.int>, (CDC) <https://www.cdc.gov/coronavirus/2019-ncov/index.html>, and (Johns Hopkins Coronavirus Resource Center) <https://coronavirus.jhu.edu/map.html>. Accessed on September 30, 2020.

² Close physical contacts refer to contacts that are within 2 meters (6 feet) for over 15 minutes.

ISSN © 2023 INATGI (Institute of Advanced Technology and Green Innovation). Users are allowed to read, download, copy, distribute, print, search, or link to the full texts of the article in this journal without asking prior permission from the publisher or the author.

See: <https://inatgi.in/index.php/jtis/index> for more information. <https://doi.org/10.63646/MNDA1872>

First, it should be noted that design science is a distinguished and classical methodology among the IS disciplines. This paper uses the framework of Design Science Research Methodology (DSRM) not only to identify the critical problem of potential close physical contact in the COVID world, but to define the objectives of the proposed workflow management system by flowchart using the epidemiological SIR model, to design and to illustrate the digital resilience flow of contactless purchasing by using the Petri net workflow management system, and to assess the feasibility of the workflow management system by using behavioral theories associated with empirical study. DSRM is considered an interdisciplinary methodology composed of design science and empirical research, in this paper.

Second, the workflow management system described herein is built to embed digital resilience, in order to allow businesses to help their customers avoid potential close physical contact when they are making a purchase in a store. Digital resilience is a must-have tool for a business' continuity and performance, especially in the event of an emergency. The proposed workflow system offers good guidance that a company can follow, so that it can continue to be successful despite unexpected disruptions – having previously invested in digital resilience and having facilitated digital resilience into its enterprise management system.

Last but not least, depending on the workflow management system of contactless purchasing, the feasibility of the proposed workflow management system should be considered. This workflow depicts the human behaviors of considering, recognizing, coping, behaving, and using digital resilience to prevent potential close physical contact under the COVID-19 pandemic. If customers are reluctant (or are not able) to adopt digital resilience measures when making a purchase in a store, the company can still effectively change and successfully implement digital resilience to keep its customers away from potential infection. This paper describes an empirical examination that considers what factors most relate to customers' intention to cope with digital resilience in a store, and we found two factors that have different impacts on customers' intentions. The response cost (facilitating conditions) is positively associated with customers' digital resilience adoption, and self-efficacy (facilitating conditions) is negatively associated with customers' digital resilience adoption. COVID-19 has changed people's behavior and habits, not only when making purchases in a store but also when accomplishing many other daily activities, e.g., wearing masks and hand sanitizing.

The overall infrastructure of this study (Appendix 3. Figure A1) follows the main steps of Design Science Research Methodology (DSRM) (Hevner et al., 2004; Peffers et al., 2007; Vandenbosch & Higgins, 1995; Carvalho, 2020): (1) problem identification and motivation, (2) definition of the objectives for a solution, (3) design and development of the model, (4) demonstration of the model, and (5) evaluation of the model. We use DSRM to propose a Petri net workflow management system that guides customers away from potentially close physical contact when they are making a purchase in a store. Also, an empirical test is constructed to illustrate the feasibility of the proposed digital resilience workflow management system, showing how well individual customers will cope with these digital resilience methods when they are used to mitigate the threat of the COVID-19 pandemic.

2. Background of Digital Resilience and Motivation for its Development

The first step of DSRM is to identify problems and motivation. The Novel COVID-19 is a coronavirus that is similar to SARS-CoV and MERS-CoV (Lai et al., 2020; Shereen et al., 2020; He, Deng, & Li, 2020). The difference is that COVID-19 spread all across the globe, as a pandemic, within a short six-month period, causing huge impacts on people's lives and on society (Li et al.,

2020; Chan et al., 2020). In this paper, the epidemiological SIR model is employed to explore the reason why so many people have become infected. The main reason appears to be the close physical contact between infected (confirmed and asymptomatic) and susceptible people.

3. The SIR Model

In general, the SIR model consists of three compartments (Figure 1.), susceptible (S), infectious (I), and removed (R). S describes the people who are susceptible to the disease. At the beginning of the pandemic, S equals the total population in a certain area. I describe the people who are infectious. The infectious people have the disease, and they can infect others. R (or removed) describes the people who have caught the disease and who have now either recovered from it or have died. These recovered people are immune to the disease. Thus, the removed people are those who are not infectious anymore (Chen et al., 2020; Lin et al., 2020).




Figure 1. The Spread Process of COVID-19 by SIR Model

In the SIR model, several assumptions are used to simplify the real-world phenomenon of COVID-19. Explanations of the variables of SIR model are addressed in **Appendix 2. (Table A1)**.

(1) The total population (TP) remains constant during the pandemic. It means that the rate of change of the susceptible population plus the rate of change of the infectious population plus the rate of the removed population must be zero. The total population (TP) is given by $(S+I+R)$.

$$TP = S + I + R = I_0 + S_0$$

$$d/dt (S+I+R) = (-\gamma * I * S) + (\gamma * I * S - \alpha * I) + (\alpha * I) = 0$$

This will be the same constant value for all the possible values of time. The initial value will be the starting point: the value of the total population at the beginning of the pandemic. As time progresses, it will not change. It will always equal the initial value.

(2) The transmission rate (γ) is proportional to the contact between the susceptible and the infectious people. And γ occurs at a constant rate. The transmission rate (γ) will decrease as more people become infectious.

(3) The removed rate (α) is a constant rate. It could be a death rate or a recovery rate, or it could be the composite of the death and recovery rates.

(4) The contact ratio (q) is the fraction of the population that comes into contact with an infected individual during the period when they are infectious, $q = \gamma / \alpha$.

(5) The basic reproductive ratio (R_0) is the reciprocal of the contact ratio (q), $R_0 = \alpha / \gamma$. This ratio indicates that there will be an epidemic if $R_0 > 1$

(6) The initial number of susceptible people is S_0 , the initial number of infectious people is I_0 , and the initial value of removed people is 0.

The rate of change of the number of susceptible people over time:

$$dS/dt = -\gamma * I * S \quad (1)$$

The rate of change of the number of infectious people over time:

$$dI/dt = \gamma * I * S - \alpha * I \quad (2)$$

The rate of change of the number of removed people over time:

$$dR/dt = \alpha * I \quad (3)$$

These three differential equations are for the three compartments of people of the population. Equation (1) indicates that the number of susceptible people is going to change according to the number of susceptible and infectious people. Equation (2) indicates that the number of infectious will increase because of the contact between people who have either recovered or died as a result of the disease spread. Equation (3) indicates that the rate of removed people is going to increase at the constant rate, depending on how many infectious people there are.

The SIR model assumes that susceptible people will transfer to other states with a certain probability of infection, according to the development pattern of COVID-19. The dynamic model of "susceptible-infectious-removed" can predict the trend of COVID-19 within a certain range, geographical area, or time segment.

3.1 Evaluating the Importance of Contact Ratio (q)

The initial number of susceptible people is S_0 , the initial number of infectious people is I_0 , and the initial value of removed people is 0. The following equation is the initial point of COVID-19.

$$S+I+R = I_0 + S_0 \quad (4)$$

Next, we investigate and discuss three important issues of COVID-19 based on the SIR model: the severe spread, the potential maximum number of infectious people, and the potential number of infected people by the end of the pandemic. All three problems are related to the contact ratio (q).

3.2 The Severe Spread of COVID-19

The initial number of infectious people at the beginning of the outbreak is given by I_0 . The question is whether or not the number of infectious people will grow. If the number of infectious people starts to grow, the disease will spread throughout the population. Here, we focus on Equation (2), the rate of change of infectious people over time. S is smaller than its initial value ($S \leq S_0$). In the context of the disease, at the beginning of the outbreak, everyone in the total population theoretically was susceptible to the disease, especially since it was a Novel Coronavirus, i.e., one that had never been seen before.

Since $S \leq S_0$, we have

$$dI/dt < I (\gamma * S_0 - \alpha) \quad (5)$$

An epidemic will occur if the size of I increases from the initial value of infectious people (I_0). In the very real situation of COVID-19, it became clear that the number of infectious people was increasing very quickly. For the other part of Equation ($\gamma S_0 - \alpha$), if this term is positive, there will be a spread of the disease. It means,

$$S_0 > \alpha / \gamma \quad (6)$$

The basic reproductive ratio $R_0 = \alpha / \gamma$. This ratio indicates that there will be an epidemic if $R_0 > 1$. This ratio represents the secondary infections in the population caused by one initial primary infection. In other words, if one person has the disease, R_0 will show how many infections, on average, that person is likely to cause. This current coronavirus is an ongoing outbreak that we have never seen before. The reproductive ratio, as described in the research, is estimated to be more likely 2 to 4 (Chen et al., 2020; Li et al., 2020). COVID-19 is an epidemic that spreads quickly. Therefore, avoiding potential close physical contact is an effective way to reduce the contact ratio and to decrease the number of infected people.

3.3 The Maximum Potential Number of Infectious of COVID-19

There is a known lack of appropriate and effective approaches to detection and diagnosis in the early stages of any disease outbreak, especially in unknown epidemics like COVID-19. Knowledge of the precise estimate of the number of people infected is essential, in order to be able to judge the severity of the epidemic and to make corresponding decisions. A common method used is to estimate the number of infections based on the proportion of outflowing people in a certain area. The early report from Northeastern University made a similar relevant analysis.

Knowing the number of infected people is very helpful when it comes to planning how to distribute health resources and how to implement anti-COVID measures. In Equations (1) and (2),

$$dI/dS = (\gamma IS - \alpha I)/(-\gamma IS) = -1 + \alpha/\gamma S \quad (7)$$

The contact ratio $q = \gamma / \alpha$, we have

$$I + S - 1/q * \ln S = I_0 + S_0 - 1/q * \ln S_0 \quad (8)$$

The maximum will occur, when $S = 1/q$. Substituting this value into the equation (8),

$$I_{MAX} = I_0 + S_0 - 1/q (1 + \ln(qS_0)) \quad (9)$$

The maximum number of infectious people (I_{MAX}) is the maximum number of people that will have the disease at a given time. The term $(1/q (1 + \ln(qS_0)))$ depends on the parameter q , the contact ratio. In the outbreak of COVID-19, the value of q is high; the disease is very easy to transmit. Many susceptible people are becoming infected when encountering potential close physical contact with infectious people, especially since COVID-19 has a relatively long incubation period, during which its symptoms might not yet have appeared. Avoiding potential close physical contact separates the susceptible from the infectious people, in order to reduce the quantity of overall infectious (both symptomatic and asymptomatic) people.

3.4 The Potential Number of Infected People by the End

How can we know that the pandemic is at its end? The number of infectious people will go down to zero. This, in the future, will signal the end of the outbreak. Let us rearrange to find the size of the removed people (R), those who have either recovered or died, at the end of the pandemic.

The total number of people who have caught the disease by the end is,

$$R(end) = I_0 + S_0 - S(end) \quad (10)$$

Based on Equation (8), the removed people or the size of the removed population at the end of the epidemic is,

$$S(end) - 1/q * \ln(S(end)) = I_0 + S_0 - 1/q * \ln(S_0) \quad (11)$$

If the value of q is sufficiently large, most of the population will not catch the disease. In the case of COVID-19, if there is a large value of q , the potential maximum number of infectious people at any given time is almost equal to the whole population, in theory.

In summary, the contact ratio (q) appears in the answers to all three key questions. It is impossible to stop the spread of COVID-19 that has already occurred; what we can do is reduce the number of people who will get infected (I_{MAX}). It is practical to isolate susceptible people from infectious people. This is exactly why we need to avoid potentially close physical contact.

In reality, grocery shopping has become one of the major channels to explore during the COVID-19 era. Our study depicts a workflow management system to solve the issue of potential close physical contact when a customer is making a purchase in a store. The proposed workflow management system will contribute to the IS community's fight against the COVID-19 pandemic.

4. Definition of the Objectives of Digital Resilience Measures

The second step of DSRM is to interpret the objectives of a solution. Administrative authorities have suggested several policies to be taken against COVID-19, such as staying at home, avoiding gatherings or parties, closing stores and places to shop, etc. However, people cannot escape their need for groceries. There are different groups of personnel at grocery stores; this leads to a complicated COVID-19 infection network fraught with potential physical contacts. To mitigate infection, a store can deploy anti-COVID measures; digital resilience is one of the most effective ways to avoid potential physical contact.




Figure 2. Flowchart of Digital Resilience Contactless Purchasing

Our goal is to mitigate the influence of the COVID-19 pandemic, specifically by focusing on avoiding close physical contact between a business and its customers, by the use of digital resilience. A flowchart (**Figure 2.**) illustrates how a customer can avoid potential physical contact when making a purchase in a store. The detailed procedure and the relevant activities in this digital resilience system are described and explained in the next section.

5. Design of Digital Resilience Workflow Management System

5.1 Workflow Management System of Avoiding Contact

A Petri net workflow (Salimifard & Wright, 2001; Xu et al., 2009) is built to help customers avoid close potential physical contact in a store. The proposed workflow management system consists of five major procedures: the Entering Procedure (EP), the Purchasing Procedure (PuP), the Payment Procedure (PaP), the Delivery Procedure (DP), and the Customer Service Procedure (CSP), as well as six role players, the Customer (C), the Sensor Checking System (SC), the Purchasing Monitoring System (PM), the Payment Assistant System (PA), the Delivery Assistant System (DA), and the Customer Service System (CS).

Each role player is represented by a labeled Petri net (LPN) model, and all LPN models are combined as the complete workflow management system. The system includes five interactive transactions: the interactions between C and SC in EP, between C and PM in PuP, between C and PA in PaP, between C and DA in DP, and between C and CS in CSP. Within the entire process, many digital resilience-enabled devices and sensors are available to assist customers. From a customer behavioral perspective, companies can recognize which factors are likely to impact their customers' intention and can adjust accordingly.

5.2 Labeled Petri Net Workflow Management System

The proposed labeled Petri net model is constructed based on previous studies (Van der Aalst, 1998 & 2000; Xu et al., 2009). We constructed a labeled Petri net model (LPN) and a labeled workflow net (LWN). LPN represents each role player, and LWN represents the complete system. Transitions are divided into three categories: In, Out, and Inner transitions. The In Transition refers to "receiving a message from a partner via a network"; the Out Transition refers to "sending a message to a partner via network"; and the Inner Transition "contains all inner activities" (Du, Jiang, & Zhou, 2009; Du et al., 2009). In the proposed workflow management system, customer and the five assistant systems are partners, and all messages and relevant activities are interacted between these six role players throughout the system. All messages and activities are recorded in the system for further analysis.

Definition 1. A labeled Petri net (LPN) is composed of 7 tuples,

$$LPN = (P, T, F, M_0, \varphi, S_l, F_l).$$

Criteria:

- (1) P is a finite set of places.
- (2) T is a finite set of transitions. $T = T_{In} \cup T_{Out} \cup T_{Inner}$. The three categories (In, Out, and Inner) are mutually exclusive in a workflow system.
- (3) $F \subseteq (P \times T) \cup (T \times P)$, which refers to a set of directed arcs (relations) connecting Places to Transitions and Transitions to Places.
- (4) (P, T, F) represents a Petri net.
- (5) $M: P \rightarrow \{0, 1\}$ is a marking function. M_0 is the initiation marking.

(6) φ is the set of messages between customers and business. Each message is defined as the form of [(msg, Sender, Receiver)]; msg is the name of a specific message or task.

(7) (M, φ) is a state of LPN. (M_0, φ_0) is an initial state, where φ_0 is a non-empty set.

(8) S_l is a finite set of activity labels, e.g., Greek or Arabic.

(9) $F_l: T \rightarrow S_l$ is defined as a labeling or weight function.

Definition 2. $LWN = (P, T, F, M_0, \varphi, S_l, F_l) = LPN$.

Labeled workflow net (LWN) is an LPN, if and only if

(1) P consists of a source place i , which is a non-empty set.

(2) P consists of outcome places O_i , which is a non-empty set.

6. Demonstration of Digital Resilience Workflow Management System

In the proposed LWN, $P (P_1, P_2, \dots, P_{20})$ is place that is expressed by a circle. The T_{In} and T_{Out} transitions are represented by rectangles with exchanged messages. The T_{Inner} transition is represented by a solid rectangle. The terminal goal is $G = \{M(O_1)=1; M(O_2)=1; M(O_3)=1\}$. Specifically, $M(O_1)=1$ indicates that a customer's access to a store has been denied because the customer has failed a physical temperature check. $M(O_2)=1$ indicates that a customer's access to a store has been denied because the customer has refused to wear a mask. $M(O_3)=1$ indicates that a customer has successfully finished a purchasing process in a store with the assistance of the digital resilience workflow management system, which has provided store access check (the store's customer capacity, the customer's temperature, and the wearing of a mask); purchasing process assistance (crowd density, one-way direction); self-payment system (cash, card, or App Pay); delivery assistance (a self-delivery system); and customer service (a self-customer service system). Messages are exchanged between the customers and the business. (Access, C, B) means that a store receives an access request from a customer; Out (N_Tem, SC, C) means that the Sensor Checking System sends a message of a customer's temperature fail from SC to C. More detailed explanations of the messages are shown in **Appendix 2 (Table A2)**.

In the proposed workflow management system, there are three terminal goals: O_1 , O_2 , and O_3 . Only O_3 consists of all the possible digital resilience-enabled purchasing processes. Both O_1 and O_2 deny access to a store because of a temperature check failure or no mask wearing, respectively. Let us have a detailed look at O_3 from the starting point i . The complete workflow system (**Figure 3.**) includes the five procedures mentioned above.

In the first procedure, Access, the interaction between C and SC in EP involves several sensors and protocols. Since the COVID-19 pandemic is severe, every customer is required to follow three access checks: the store capacity check ([Cap, SC, C]), the body temperature check ([Temp, SC, C]), and the mouth and nose mask check ([Mask, SC, C]). Here is the order: first, a customer requests access to a grocery store ([Access, C, B]). If that store already has its maximum number of customers inside, as a safety issue, the customer ([Y_Cap, B, C]) is told to wait to enter until another customer finishes shopping. If a store does not have its maximum number of customers, the customer ([N_Cap, B, C]) will be allowed to enter if the customer satisfies the temperature ([Y_Tem, SC, C]) and mask wearing ([Y_Mas, SC, C])

requirements. Any customer will be denied entry to a store if the customer is reluctant either a) to check his/her body temperature or b) to wear a mask $[(N_Mas, SC, C)]$. If a customer has a temperature check and shows a temperature that is above the normal range, the customer $[(N_Tem, SC, C)]$ will be denied access to the store. All three activities would be monitored and controlled by digital devices, with notice and instructions sent to the customer. It is voluntary that customers complete extra anti-infection measures, such as hand sanitizing, cart cleaning, and wearing gloves, etc.

In the second procedure, Purchasing, the interaction between C and PM in PuP, digital resilience measures will assist and warn customers $[(Pur, PM, C)]$, all throughout the store, if a certain area has a dense crowd or if the customer has not followed the correct direction during shopping. Customers can also install the related App to track and to instantly obtain useful information.

In the third procedure, Payment, the interaction between C and PA in PaP, there is no personal assistant. What the customer $[(Pay, C, PA)]/[(Pay, PA, C)]$ needs to do is adopt a self-assistant system to scan and pay for his/her items by cash or by card. Another potential digital resilience measure is that a customer can use his/her own cell phone to scan and pay through a payment App.

In the fourth procedure, Delivery, the interaction between C and DA in DP, a customer $[(Y_Deli, C, DA)]$ can use a digital device to process a delivery if the customer needs some of the items to be delivered. If there is no request from the customer $[(N_Deli, C, DA)]$ to deliver anything, the customer will be directed to the final step: Customer Service.

In the fifth procedure, Customer Service, the interaction between C and CS in CSP, many types of contactless service can be implemented, such as a voice assistant, a virtual assistant, an App assistant, a message assistant, etc. If the customer $[(Y_Ser, C, CS)]$ needs customer service, the system will assist him/her. If not, the system will finish all of its possible assistance and the customer's purchasing will end at O_3 .




Figure 3. The Workflow Management System of Digital Resilience

7. Empirical Analysis and Results

The feasibility of this digital resilience workflow management system is critical; specifically, we consider whether or not customers will accept measures of digital resilience toward slowing the COVID-19 pandemic when they are making a purchase in a store. The behavior of customers regarding digital resilience can be tested by a theoretical model (**Figure 4.**). Will customers adopt digital resilience when purchasing? If they accept and obey digital resilience procedures, what factors will impact their intention to use those digital resilience measures? A derivative model based on four classical theories, the TRA (Theory of Reasoned Action), the Technology Acceptance Model (TAM), the Unified Theory of Acceptance and Technology (UTAUT), and the Protection Motivation Theory (PMT), was constructed (Rogers, 1975; Davis, 1989; Venkatesh et al., 2003).




Figure 4. Research Model

Regarding specific details (**Appendix 2. Table A3.**), perceived usefulness (PU, performance expectancy) and perceived ease of use (PEOU, effort expectancy) are derived from TAM (Davis, 1989); subjective norm (SN, social influence) is from TRA response cost (RC, facilitating conditions) and self-efficacy (SE, facilitating conditions) are from UTAUT (Venkatesh et al., 2003); perceived vulnerability (PV, threat appraisals) and perceived severity (PS, threat appraisals) are from PMT (Rogers, 1975); and behavioral intention (BI) is from TRA. It is predicted that the selected variables (constructs) will reflect customers' behavior towards the digital resilience forced upon them by the threat of COVID-19.

8. Hypotheses

8.1 Performance Expectancy and Intention to Use

In UTAUT, performance expectancy refers to “the degree to which an individual believes that using the system will help him or her to attain gains” (Venkatesh et al., 2003; Venkatesh, Thong, & Xu, 2012). Performance expectancy is also referred to as perceived usefulness, extrinsic motivation, job-fit, relative advantage, or outcome expectations (Davis, 1989; Moore & Benbasat, 1991; Thompson et al., 1991; Segars & Grover, 1993; Gefen & Straub, 1997; Wu & Lederer, 2009). Similarly, Davis (1989) defines perceived usefulness as “the degree to which a person believes that using a particular system would enhance his or her job performance.”

In our model, digital resilience is the technology that can help to keep a customer from catching viruses. If digital resilience works, and if customers believe that digital resilience works, customers will prefer to adopt these digital resilience measures. Perceived usefulness (TAM) is regarded as an indicator of performance expectancy (Chau, 1996; Tam & Ho, 2006; Hess, McNab, & Basoglu, 2014). If customers believe that adopting digital resilience can mitigate the threat of COVID-19, they will be more likely to follow the proposed digital resilience measures. In UTAUT, a user's performance expectancy plays a positive role on BI; the same relation is found between Perceived Usefulness and Behavioral Intention in TAM (Davis, 1989; Moore & Benbasat, 1991; Hess, McNab, & Basoglu, 2014). Thus, the first hypothesis is,

H1: Perceived usefulness is positively associated with behavioral intention.

8.2 Effort Expectancy and Intention to Use

Effort expectancy describes “users’ opinion of the effort associated with the use of a technology” (Venkatesh et al., 2003). It also referred to as perceived ease of use (PEOU), that is, “the degree to which a person believes that using a particular system would be free of effort” (Davis, 1989; Sharma, Yetton, & Crawford, 2009).

PEOU is an important variable that influences customers’ intention to adopt digital resilience when purchasing in a store. In both TAM and UTAUT, PEOU and BI have a positive relation (Moore & Benbasat, 1991; Venkatesh et al., 2003; Venkatesh, Thong, & Xu, 2012; Hess, McNab, & Basoglu, 2014). Our targeted participants are ordinary customers, and we follow the same thinking as the previous studies. Thus, the second hypothesis is,

H2: Perceived ease of use is positively associated with behavioral intention.

8.3 Social Influence and Intention to Use

Social influence is “the degree to which an individual perceives those important others (e.g., family and friends) believe he or she should use the new system” (Venkatesh et al., 2003; Venkatesh, Thong, & Xu, 2012). It is also called a subjective norm and a social factor (Moore & Benbasat, 1991; Thompson et al., 1991). In TRA, it is “the person’s perception that most people who are important to him think he should or should not perform the behavior in question”.

The subjective norm has a strong relation with intention to use. It has been empirically proven that elders are more impacted than others by social influence before they make the decision to use a specific technology (Venkatesh et al., 2003). It is claimed that people who are older than 60 are more likely to be infected by COVID-19 (He, Deng, & Li, 2020; Zheng et al., 2020; Grant et

al., 2020); in practice, many people of other ages become infected as well, especially people in a population-intense environment, e.g., a grocery store, a hospital, etc. Thus, the third hypothesis is,

H3: Subjective norm is positively associated with behavioral intention.

8.4 Facilitating Conditions and Intention to Use

The term Response Costs refers to the resources (the time and effort) that customers spend on learning and facilitating digital resilience measures when they are making a purchase in a store. Usually, if customers need to expend more resources to deploy a certain technology, they will probably ignore the technology. A higher cost means a lower, or no, intention to use technology. This is a negative relation between the response costs and the behavioral intention (Rogers, 1975).

The costs related to adopting digital resilience include time, learning, and other efforts. If the digital resilience process takes a lot of effort, the customer will become reluctant to accept or to follow it. Or, if learning how to follow the digital resilience techniques is not easy, the customer will behave in the same way. However, COVID-19 is a world-wide epidemic that has seriously impacted people's health; therefore, even though adopting digital resilience will take more effort, people still will tolerate it and then will reap the benefit of it. We make the claim that the relation is opposite to the previous study (Venkatesh et al., 2003). Thus, the fourth hypothesis is,

H4: Response costs are positively associated with behavioral intention.

Another important factor of the facilitating conditions is self-efficacy, which is "people's judgments of their capabilities to organize and execute courses of action required to attain designated types of performances. It is concerned not with the skills one has but with judgments of what one can do with whatever skills one possesses".

In the proposed model, self-efficacy describes a customer's estimation of his or her ability to learn and deploy digital resilience measures when making a purchase in a store. Through the implementation of the digital resilience measures that have been forced upon businesses by COVID-19, the individual customer is confident that he or she is avoiding potentially close physical contact. A positive relationship between self-efficacy and behavioral intention, regarding technology acceptance, has been established (Compeau & Higgins, 1995; Venkatesh et al. 2003). Thus, the fifth hypothesis is,

H5: Self-efficacy is positively associated with behavioral intention.

8.5 Threat Appraisals and Intention to Use

In PMT, threat appraisal is represented by perceived vulnerability and perceived severity (Rogers, 1975). Perceived vulnerability is "the probability that one will experience harm", whereas perceived severity is "the degree of harm from misconduct behavior" (Rogers, 1975). From the threat protection point of view, these two factors are the intrinsic motivations that individuals behaviorally intend to use in order to take action against an extrinsic factor, i.e., COVID-19.

Under the COVID-19 pandemic, an individual is exposed to the virus and to other relevant impacts, and thus, individual has a high probability of becoming infected if there are no effective response measures taken. The two perceived factors are strong facilitators of developing digital resilience and of preventing individuals from potentially close physical contact with infectious people. Based on the extant study, both the perceived vulnerability and the perceived severity play significant positive roles in behavioral intention (Thompson, Higgins, & Howell, 1991; Johnston & Warkentin, 2010). Thus, the sixth and seventh hypotheses are,

H6: Perceived vulnerability is positively associated with behavioral intention.

H7: Perceived severity is positively associated with behavioral intention.

8.6 Descriptive Statistics

Similar to the previous research, the demographics used in the current study were age, gender, education level, and work experience. In total, we collected 813 participants' questionnaires. 247 participants' responses were deemed complete and qualified for the empirical test. The completion rate was 30.38%. Among the 247 participants, the number of females was 137 (55.47%) and the number of males was 110 (44.53%). About 87.04% (n=215) of the completed surveys were from participants over 30 years old, and 31.23 % (n=77) of the participants held a bachelor's degree or higher. About 70.04% (n=173) of the completing participants had at least three years of work experience.

8.7 Data Analysis and Results

A five-point Likert Scale (Beal and Dawson, 2007) was used for all items (**Appendix 1. Survey Items**), (1) strongly disagree, (2) disagree, (3) neutral, (4) agree, and (5) strongly agree. The survey was distributed via the Internet. Our study investigated customer behavior toward adopting digital resilience. Formative constructions were assessed based on the overall structure and constructions, as well (Gefen, Rigdon, & Straub, 2011; Lowry & Gaskin, 2014). PLS was the appropriate method to investigate the reflective and formative constructs of the proposed casual relation (Chin, Marcolin, & Newsted, 2003; Hair, Ringle, & Sarstedt, 2011; Henseler, Hubona, & Ray, 2016). Partial least squares (PLS) provided robust and relatively accurate statistical results (Lowry & Gaskin, 2014). Measurement model and structural model assessments were illustrated and were discussed, according to the statistical measures and the related thresholds (**Appendix 2. Table A4**).

8.8 Measurement Model Assessment

Reliability and Validity Analysis. The overall reliability of reflective construction was good. CR (composite reliability) and AVE (average variance extracted) were the two measures of assessment used. The thresholds of CR and AVE were 0.70 and 0.50, respectively (McKnight, Choudhury, & Kacmar, 2002). In the proposed model, the constructions had good CRs (from 0.815 to 0.978, **Table 1.**) and AVEs (from 0.723 to 0.916, **Table 2.**). Moreover, self-efficacy (facilitating conditions) did not have CR or AVE, since SE was treated as a formative construct in the model.

Convergent Validity Analysis. Depending on factor loadings (**Table 1.**), three items were excluded for the low loadings (<0.70): the first item of response costs RC1 (0.541), the first item of perceived vulnerability PV1 (0.569), and the first item of perceived severity PS1 (0.434). After modification, the CR and the AVE of RC increased to 0.819 and 0.897 at the significant

level of $p < 0.01$; the CR and the AVE of PV increased to 0.815 and 0.753 at the significant level of $p < 0.001$; and the CR and the AVE of PS increased to 0.874 and 0.778 at the significant level of $p < 0.001$. The model was adjusted to a good convergent validity with all factors' loadings greater than 0.70 (Chin, Marcolin, & Newsted, 2003; Hair, Ringle, & Sarstedt, 2011; Henseler, Hubona, & Ray, 2016).

Table 1. PLS Loadings and Cross-Loadings

Constructs & Factors		Factor 1	Factor 2	Factor 3	Factor 4	Factor 5	Factor 6	Factor 7	Factor 8	VIF
Performance Expectancy (CR= .912)	PE 1	.829	-.036	-.252	.012	.007	.040	-.020	.107	2.017
	PE 2	.901	.097	-.070	-.109	.126	.093	-.103	.141	2.444
	PE 3	.909	.033	-.129	-.041	-.000	.023	-.028	.069	3.034
Effort Expectancy (CR= .978)	EE 1	.015	.923	-.019	-.056	.023	-.118	.046	-.128	2.973
	EE2	.075	.917	-.037	-.075	-.040	-.065	.090	-.074	2.705
	EE 3	-.004	.716	.005	-.014	.033	-.068	.028	-.063	1.104
	EE 4	.064	.882	-.054	-.070	.023	-.133	.077	-.185	2.647
Social Influence (CR= .837)	SN 1	-.225	-.048	.736	-.064	.080	-.103	.002	.035	1.324
	SN 2	-.109	-.022	.952	-.031	-.025	-.220	.048	.078	1.324
Response Cost (CR= .819)	(RC1)	-.003	-.142	.016	(.541)	.082	.067	-.168	.028	1.386
	RC 2	-.085	-.097	-.036	.721	-.034	.025	-.085	.090	1.502
	RC 3	-.043	-.018	-.048	.934	.061	-.006	-.025	.198	1.276
Self-Efficacy (CR= NA)	SE 1	.022	.033	.032	.034	.926	.151	-.150	-.183	2.944
	SE 2	.068	-.011	-.047	-.021	.815	.252	-.142	-.134	1.760
	SE 3	.093	.011	.025	.089	.913	.179	-.151	-.169	2.824
Perceived Vulnerability (CR= .815)	(PV 1)	.096	-.125	-.110	-.015	.246	(.569)	-.079	.044	1.602
	PV 2	.040	-.225	-.097	-.019	.196	.915	-.070	.252	2.076
	PV 3	.071	.081	-.289	.050	.140	.807	-.177	.196	1.383
Perceived Severity (CR= .874)	(PS1)	.020	.058	.114	-.132	.083	-.008	(.434)	-.053	1.538
	PS 2	-.148	-.026	.007	-.089	-.126	-.184	.753	.075	1.762
	PS3	-.020	.096	.067	-.074	-.123	-.090	.967	.221	1.861
Behavioral Intention (CR= .919)	BI 1	.141	-.096	-.008	.263	-.198	.215	.163	.876	2.545
	BI 2	.129	-.091	.088	.073	-.185	.165	.220	.839	2.243
	BI 3	.080	-.175	.116	.141	-.116	.281	.238	.950	3.325
Notes: 1. CR is Composite Reliability. 2. SE is a formative construct, to which CR is not applicable. 3. Numbers in BOLD represent Loadings of each factor. 4. Information in BOLD within “()” represents deleted factor.										

Discriminant Validity Analysis. Regarding discriminant validity: all viable correlations were less than the related square roots of the AVEs, indicating that the proposed model has a good discriminant validity (Chin, Marcolin, & Newsted, 2003; Hair, Ringle, & Sarstedt, 2011).

Another measure for discriminant validity is the HTMT (Heterotrait-Monotrait Ratio of Correlations). Its threshold is 1; the lower, the better (Henseler, Hubona, & Ray, 2016). All

HTMTs of constructs were below 1, indicating that the constructs had good discriminant validity, as well.

Table 2. Correlation and AVEs

	1	2	3	4	5	6	7	8
1. BI	.791							
2. PE	.129* (.141)	.775						
3. EE	-.138 (.126)	.044 (.068)	.916					
4. SI	.073* (.120)	-.164* (.263)	-.034 (.054)	.723				
5. RC	.182* (.191)	-.061* (.088)	-.061 (.136)	-.046* (.095)	.897			
6. SE	-.188* (NA)	.051* (NA)	-.024 (NA)	.023* (NA)	.047* (NA)	NA		
7. PV	.251** (.262)	.068** (.101)	-.112 (.213)	-.208** (.307)	.011** (.081)	.183** (NA)	.753	
8. PS	.233** (.177)	-.067** (.094)	.066 (.082)	.038** (.110)	-.065** (.234)	-.162** (NA)	-.135** (.188)	.778

Notes:

1. * $p < 0.01$; ** $p < 0.001$.
2. Numbers in the “()” represent HTMT (Heterotrait-Monotrait Ratio).
2. Diagonal elements in **BOLD** are AVEs (Average Variance Extracted) and off-diagonal elements are correlations.
3. SE is a formative construct to which AVE and HTMT are not applicable.

Additionally, the collinearity of constructs was checked by VIF (Variance Inflation Factor) (Final Column of **Table 1.**). Most of the factors' VIFs were below 3. Only PE3's (performance expectancy) VIF was 3.034, and BI3's (the third factor of behavioral intention) VIF is 3.225. Any VIF below 3.000 is good, and below 3.300 is acceptable (Dormann et al., 2013; Kock & Lynn, 2012). Thus, the results of the VIFs indicated that there was no issue of collinearity.

Formative Factor Assessment. The statistical results revealed that self-efficacy could be treated as a formative construct (Petter, Straub, & Rai 2007; Cenfetelli & Bassellier, 2009) in the model. Two primary parameters, p-value and VIF, were used. The p-values of the three factors, SE1, SE2, and SE3, were 0.000, 0.007, and 0.001, respectively, at the significant level of $p < 0.01$. The VIFs were 2.944, 1.760, and 2.824, respectively. Good p-values indicated that the three factors had significant effects on the latent variable. The VIFs indicated that there was no overlapping in the model.

8.9 Structural Model Assessment

Overall Model Fit. Two indexes, SRMR (Standardized Root Mean Square Residual) (Hu & Bentler, 1999) and the NFI (the Normed Fit Index or the Bentler and Bonett Index), were used to evaluate the overall fit of the model. Specifically, the SRMR of 0.074 was lower than the

threshold of 0.08; and the NFI = 0.957, which is closer to 1. These results indicated that the proposed model had a good fit, overall.

Model and Hypotheses Testing. The path coefficients (β) were used to assess the relations between independent variables (different factors) and the dependent variable (BI). Except for effort expectancy, all the others had a significant effect (positively or negatively) on behavioral intention (**Figure 5.**). In detail, for H1, performance expectancy had a significant positive effect on behavioral intention ($\beta = .182$, $t = 1.509$) at the significant level of $p < 0.01$. For H3, the subjective norm had a significant positive effect on behavioral intention ($\beta = .176$, $t = 1.446$) at the significant level of $p < 0.01$. For H4, response costs had a significant positive effect on behavioral intention ($\beta = .220$, $t = 1.585$) at the significant level of $p < 0.01$. For H5, self-efficacy had a significant negative effect on behavioral intention ($\beta = -.228$, $t = 2.491$) at the significant level of $p < 0.01$. For H6, perceived vulnerability had a notable significant positive effect on behavioral intention ($\beta = .339$, $t = 2.754$) at the significant level of $p < 0.001$. For H7, perceived severity had a significant positive effect on behavioral intention ($\beta = .267$, $t = 2.174$) at the level of $p < 0.01$. For H2, effort expectancy did not have a significant effect on behavioral intention ($\beta = -.102$, $t = .937$). Overall, all the valid factors can explain the percentage of variance of behavioral intention.




Figure 5. PLS Results

MAJOR FINDINGS

Four classic theories, TRA, TAM, UTAUT, and PMT, serve as the foundation for the proposed model of digital resilience acceptance. The derivative model is a good fit of digital resilience acceptance under the unexpected disruption, since it not only explains whether customers will accept the digital resilience measures deployed by companies, but it clarifies to what extent those factors will impact customers' intention to adapt digital resilience. The proposed derivative model is a framework for investigating customer behavioral intention to adopt digital resilience caused by an exogenous factor, i.e., the COVID-19 pandemic. Using empirical tests, we found important and convincing results, as shown in the following table (**Table 3**.)

Table 3. Summary of Major Findings

Hypotheses	Path Coefficient	Significant Level	Supported
Differences from Previous Studies			

H2: PEOU→BI	-0.102	^{ns} $\rho > 0.1$	NO
H4: RC→BI	0.230	* $\rho < 0.01$	YES
H5: SE→BI	-0.239	* $\rho < 0.01$	YES
Similarities as Extant Research			
H1: PU→BI	0.179	* $\rho < 0.01$	YES
H3: SN→BI	0.172	* $\rho < 0.01$	YES
H6: PV→BI	0.335	** $\rho < 0.001$	YES
H7: PS→BI	0.232	** $\rho < 0.001$	YES
Notes: * $\rho < 0.01$; ** $\rho < 0.001$; ^{ns} $\rho > 0.1$.			

In the proposed model, threat appraisals play a more important role in customers' intention to adopt digital resilience than performance expectancy and social influence do. Perceived vulnerability plays the strongest role, with a 33.5% effect at the significant level of $p < 0.001$; perceived severity has a 23.3% effect at the significant level of $p < 0.001$; response efficacy has a lower 17.9% effect at the significant level of $p < 0.01$; and subjective norm has a 17.2% effect at the significant level of $p < 0.01$. During the COVID-19 pandemic, threat appraisals have impacted customers' behavioral intention to a relatively deeper extent. Digital resilience is one of the approaches that is helping customers to avoid potential close physical contact and is helping businesses mitigate the influences of COVID-19.

Regarding the extant research findings on customer technology acceptance (Venkatesh et al., 2003), the facilitating conditions appear to differently affect customers' behavioral intention to adopt digital resilience. Specifically, response costs show a 23.0% positive effect at the significant level of $p < 0.01$, and self-efficacy shows a 23.9% negative effect at the same significant level. The COVID-19 pandemic has engendered a new type of digital resilience workflow. At the early stage of the pandemic, it is reasonable to expect that customers might feel uncomfortable and might make efforts to execute digital resilience-enabled measures. It is a transitional phenomenon that COVID-19 is changing customers' behavior and habits. Digital resilience is the tool that assists customers to adapt to the disruptions. Customers are reporting that they feel more confident and are finding new technologies more convenient as their digital resilience-enabled habits change. Thus, regarding the ongoing health issue, customers are still following digital resilience measures, although customers need to put more effort into them.

This shows that the effort expectancy (the perceived ease of use) does not have a significant effect on behavioral intention at any of the three significant levels of $p < 0.001$, $P < 0.01$, and $p < 0.05$. The testing model excludes the construct of effort expectancy for precise analysis. PEOU is not applicable to professional or well-educated personnel who are adequately competent and who are capable of dealing with specific technology. In other words, PEOU has an insignificant impact on behavioral intention (Gefen & Straub, 1997; Hu et al. 1999; Venkatesh & Morris, 2000; Venkatesh, Thong, & Xu, 2012). Effort expectancy should be an important indicator of customers' behavioral intention towards digital resilience, but not in a

direct relationship. The moderating effects between effort expectancy and behavioral intention may play important roles. The effects of the demographic features of customers (age, gender, education level, and work experience) could also be investigated in future research.

9. Theoretical Contributions

This study is a good attempt to present a workflow management system of digital resilience to mitigate consequences of the COVID-19 pandemic by integrating the two major research paradigms of information systems: design science and behavioral research. First, the structure and the context of this paper are based on DSRM (Design Science Research Methodology). That methodology is suitable to use in identifying a practical problem (the potential close physical contacts of customers during purchasing in a store), in building a workflow management system to help businesses' customers avoid potential close physical contacts, and in empirically evaluating the feasibility of the system (whether or not customers will adopt digital resilience when making a purchase, and what factors impact customers' behavioral intention). DSRM is an appropriate measure, both theoretical and indirect, to use in mitigating the influence of the unexpected disruptions.

Second, the study proposes a derivative model of customer digital resilience acceptance from the four classical theories of TRA, TAM, UTAUT, and PMT. It collaboratively puts technology (digital resilience) acceptance, threat protection (from the COVID-19 epidemic), and behavioral intention (customer behavior toward digital resilience) into one model in order to investigate the way in which the exogenous factor (COVID-19) influences customers' intentions and habits. The acceptance of digital resilience is a blended behavior of technology adoption and threat protection. The model can be regarded as a bridge between customer behavior (protection motivation and technology acceptance) and the influence of an exogenous factor (the COVID-19 pandemic) through the implementation of digital resilience. It is a good attempt at using IS behavioral theory to investigate the interactive reasonings between customer behavior (the endogenous factor) and the COVID-19 pandemic (the exogenous factor). The study reveals the way in which the exogenous factor changes customers' behavior and habits, as well as the way in which individual customers potentially conduct and mitigate the consequences of the unexpected disruptions.

10. Limitations and Future Research

While our paper focuses on the ways in which customers can accept digital resilience measures taken to counter the risks of COVID-19, another important angle to consider is the employees' prospects for digital resilience. A real-life example happened at Walmart's "Order Online & Pickup." Walmart had already made a digital resilience effort; the App indicated that when a customer arrived to make a pickup, he or she should "Roll Up" the vehicle's windows to protect the driver and the employee from potential infection. However, as happens often, neither the employees nor the customers obeyed this principle, because it was easier to open the window for communication between employees and customers. Nevertheless, during the COVID-19 pandemic, we must learn to tolerate the inconvenience of avoiding potentially close physical contact. Employees need to be trained and must follow the policy of digital resilience in order to avoid any potential close physical contact. Businesses must learn how to monitor and manage their employees' behavior regarding digital resilience. Otherwise, digital resilience may not perform well in mitigating COVID-19 influences or other unexpected disruptions.

Previous studies have explored the behavioral model's relationship to moderating effects, such as age, gender, education level, work experience (Compeau & Higgins, 1995; Venkatesh et al., 2003). But different groups of people have addressed the COVID-19 pandemic with different thinking, recognition, and behaviors. It will be valuable to investigate the way in which people behave heterogeneously; then, companies can accompany that information as they work to improve the performance of their workflow management system in satisfying their customers' requests. The relationship between effort expectancy and behavioral intention is vague. The moderating effects may strengthen the relationship between effort expectancy and behavioral intention.

The evaluation of DSRM used in this study was to assess the feasibility of the proposed digital resilience workflow management system by employing empirical tests on factors that impact customers' intention to adopt digital resilience, not on the productivity of the workflow management system. Future research could assess the effectiveness and productivity of ways to improve the entire workflow management system.

11. Managerial Implications

This study seeks to construct reliable measures for organizations as they implement digital resilience and as they work to prevent their customers' contracting COVID-19 by helping the customers to avoid potentially close physical contact. On the basis of the epidemiological SIR model, it is clear that close physical contact is a major reason why so many people became infected; in fact, it is the major reason why COVID-19 spread all over the world so rapidly. The avoidance of any potential close physical contact is an effective way to protect the susceptible people from the infectious people. Although the authorities closed many local stores, grocery stores remain open for necessary daily needs. Digital resilience is the key measure that can assist a local store in implementing anti-COVID measures by setting up a contactless purchasing environment. In this way, potential close physical contact can be greatly reduced, and the store's customers will be safer.

Second, our study presents a workflow management system that solves a real problem: the avoidance of potential close physical contact in stores. The system could be a good example for companies that are seeking to facilitate their own digital resilience measures in order to mitigate the influences of COVID-19, especially in places with the potential for many people to gather, e.g., schools, hospitals, etc. The proposed workflow management system could easily be adjusted to fulfill the various standards and requirements of both organizations and individuals.

Third, the proposed workflow management system is a foundational framework, since it is clear that emerging technologies will be employed to improve organizations' digital capability. Many will look to implement the proposed workflow management system on a broad IoT (Internet of Things) platform integrated with both AI (artificial intelligence) and blockchain technology. IoT offers the potential to implement digital resilience to all of the devices within the system for information sharing, data storage, and performance estimation (Xu, He & Li, 2014). AI could improve digital resilience by making the workflow management system more intelligent and automatic, and blockchain technology offers a strong, decentralized platform that can provide security and additional storage for processing digital resilience .

12. Conclusions

A digital transformation has never been more urgently needed than it is now, following the unexpected disruptions from COVID-19. For a company to succeed in this world of unprecedented constraints upon its customers, it needs to empower enterprise information systems, to optimize operational activities, to foster the new culture of a hybrid work environment, and to engage its customers in new ways, intelligently and virtually transforming products and services with new business models. Digital resilience has the potential to help companies maintain their business performance and continuity in the COVID-19 world. Customers can adopt digital resilience to protect themselves from the threat of potential infection while completing necessary daily tasks. This study shows that customers are more willing to adopt digital resilience that is implemented by companies (e.g., grocery stores).

This study designs a digital resilience workflow management system that specifically focuses on protecting a business' customers from the infection of COVID-19 by assuring their avoidance of potential close physical contact with other shoppers. Another critical point is the customers' acceptance of digital resilience. Our findings demonstrate that the COVID-19 pandemic has forced customers to form new grocery shopping habits by using the digital resilience-enabled contactless method of grocery shopping. The institution of appropriate digital resilience-enabled measures is necessary a) to reduce the contact ratio (q) of COVID-19 and b) to keep customers both healthy and safe. It is expected that the more digital resilience-enabled companies will offer more competitive advantages that will both prevent the further dissemination of COVID-19 and will attract more customers for them, during the pandemic.

Acknowledgement

This research was supported by grants from the Department of Information Systems & Decision Sciences at Old Dominion University and from the JiLin University Business School. The authors appreciate the valuable feedback from the expert reviewers.

Reference

- Beal, D. J., & Dawson, J. F. (2007). On the use of Likert-type scales in multilevel data: Influence on aggregate variables. *Organizational Research Methods*, 10(4), 657-672. DOI: 10.1177/1094428106295492.
- Carvalho, A. (2020). A permissioned blockchain-based implementation of LMSR prediction markets. *Decision Support Systems*, 130, 113228. DOI: 10.1016/j.dss.2019.113228.
- Cenfetelli, R. T., & Bassellier, G. (2009). Interpretation of formative measurement in information systems research. *MIS quarterly*, 689-707. DOI: 10.2307/20650323.
- Chan, J. F. W., Yuan, S., Kok, K. H., To, K. K. W., Chu, H., Yang, J., ... & Yuen, K. Y. (2020). A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *The lancet*, 395(10223), 514-523. DOI: 10.1016/S0140-6736(20)30154-9.
- Chau, P. Y. (1996). An empirical assessment of a modified technology acceptance model. *Journal of management information systems*, 13(2), 185-204. DOI: 10.1080/07421222.1996.11518128.
- Chen, Y. C., Lu, P. E., Chang, C. S., & Liu, T. H. (2020). A time-dependent SIR model for COVID-19 with undetectable infected persons. *Ieee transactions on network science and engineering*, 7(4), 3279-3294. DOI: 10.1109/TNSE.2020.3024723.

- Chin, W. W., Marcolin, B. L., & Newsted, P. R. (2003). A partial least squares latent variable modeling approach for measuring interaction effects: Results from a Monte Carlo simulation study and an electronic-mail emotion/adoption study. *Information systems research*, 14(2), 189-217. DOI: 10.1287/isre.14.2.189.16018.
- Compeau, D. R., & Higgins, C. A. (1995). Computer self-efficacy: Development of a measure and initial test. *MIS quarterly*, 189-211. DOI: 10.2307/249688.
- Da Xu, L., He, W., & Li, S. (2014). Internet of things in industries: A survey. *IEEE Transactions on industrial informatics*, 10(4), 2233-2243. DOI: 10.1109/TII.2014.2300753.
- Davis, F. D. (1989). Perceived usefulness, perceived ease of use, and user acceptance of information technology. *MIS quarterly*, 319-340. DOI: 10.2307/249008.
- Davis, F. D., Bagozzi, R. P., & Warshaw, P. R. (1989). User acceptance of computer technology: A comparison of two theoretical models. *Management science*, 35(8), 982-1003. DOI: 10.1287/mnsc.35.8.982.
- Dormann, C. F., Elith, J., Bacher, S., Buchmann, C., Carl, G., Carré, G., ... & Lautenbach, S. (2013). Collinearity: a review of methods to deal with it and a simulation study evaluating their performance. *Ecography*, 36(1), 27-46. DOI: 10.1111/j.1600-0587.2012.07348.x.
- Du, Y., Jiang, C., & Zhou, M. (2009). A Petri net-based model for verification of obligations and accountability in cooperative systems. *IEEE Transactions on Systems, Man, and Cybernetics-Part A: Systems and Humans*, 39(2), 299-308. DOI: 10.1109/TSMCA.2008.2010751.
- Du, Y., Jiang, C., Zhou, M., & Fu, Y. (2009). Modeling and monitoring of E-commerce workflows. *Information Sciences*, 179(7), 995-1006. DOI: 10.1016/j.ins.2008.11.025.
- Gefen, D., & Straub, D. W. (1997). Gender differences in the perception and use of e-mail: An extension to the technology acceptance model. *MIS quarterly*, 389-400. DOI: 10.2307/249720.
- Gefen, D., Rigdon, E. E., & Straub, D. (2011). Editor's comments: an update and extension to SEM guidelines for administrative and social science research. *MIS quarterly*, iii-xiv. DOI: 10.2307/23044042.
- Grant, W. B., Lahore, H., McDonnell, S. L., Baggerly, C. A., French, C. B., Aliano, J. L., & Bhattoa, H. P. (2020). Evidence that vitamin D supplementation could reduce risk of influenza and COVID-19 infections and deaths. *Nutrients*, 12(4), 988. DOI: 10.3390/nu12040988.
- Guan, W. J., Ni, Z. Y., Hu, Y., Liang, W. H., Ou, C. Q., He, J. X., ... & Zhong, N. S. (2020). Clinical characteristics of coronavirus disease 2019 in China. *New England journal of medicine*, 382(18), 1708-1720. DOI: 10.1056/NEJMoa2002032.
- Hair, J. F., Ringle, C. M., & Sarstedt, M. (2011). PLS-SEM: Indeed a silver bullet. *Journal of Marketing theory and Practice*, 19(2), 139-152. DOI: 10.2753/MTP1069-6679190202.
- He, F., Deng, Y., & Li, W. (2020). Coronavirus disease 2019: What we know?. *Journal of medical virology*, 92(7), 719-725. DOI: 10.1002/jmv.25766.
- Henseler, J., Hubona, G., & Ray, P. A. (2016). Using PLS path modeling in new technology research: updated guidelines. *Industrial management & data systems*, 116(1), 2-20. DOI: 10.1108/IMDS-09-2015-0382.
- Hevner, A. R., March, S. T., Park, J., & Ram, S. (2004). Design science in information systems research. *MIS quarterly*, 75-105. DOI: 10.2307/25148625.
- Hu, L. T., & Bentler, P. M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives. *Structural equation modeling: a multidisciplinary journal*, 6(1), 1-55. DOI: 10.1080/10705519909540118.

- Hu, P. J., Chau, P. Y., Sheng, O. R. L., & Tam, K. Y. (1999). Examining the technology acceptance model using physician acceptance of telemedicine technology. *Journal of management information systems*, 16(2), 91-112. DOI: 10.1080/07421222.1999.11518247.
- Johnston, A. C., & Warkentin, M. (2010). Fear appeals and information security behaviors: An empirical study. *MIS quarterly*, 549-566. DOI: 10.2307/25750691.
- Kim, S. S. (2009). The integrative framework of technology use: An extension and test. *Mis Quarterly*, 513-537. DOI: 10.2307/20650307.
- Kock, N., & Lynn, G. S. (2012). Lateral collinearity and misleading results in variance-based SEM: An illustration and recommendations. *Journal of the Association for information Systems*, 13(7), 2. DOI: 10.17705/1jais.00302.
- Lai, C. C., Shih, T. P., Ko, W. C., Tang, H. J., & Hsueh, P. R. (2020). Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-2019 (COVID-19): The epidemic and the challenges. *International journal of antimicrobial agents*, 55(3), 105924. DOI: 10.1016/j.ijantimicag.2020.105924.
- Lee, Y. (2011). Understanding anti-plagiarism software adoption: An extended protection motivation theory perspective. *Decision Support Systems*, 50(2), 361-369. DOI: 10.1016/j.dss.2010.07.009.
- Li, Q., Guan, X., Wu, P., Wang, X., Zhou, L., Tong, Y., ... & Feng, Z. (2020). Early transmission dynamics in Wuhan, China, of novel coronavirus-infected pneumonia. *New England journal of medicine*, 382(13), 1199-1207. DOI: 10.1056/NEJMoa2001316.
- Lin, Q., Zhao, S., Gao, D., Lou, Y., Yang, S., Musa, S. S., ... & Yang, L. (2020). A conceptual model for the outbreak of Coronavirus disease 2019 (COVID-19) in Wuhan, China with individual reaction and governmental action. *International journal of infectious diseases*. DOI: 10.1016/j.ijid.2020.02.058.
- Lowry, P. B., & Gaskin, J. (2014). Partial least squares (PLS) structural equation modeling (SEM) for building and testing behavioral causal theory: When to choose it and how to use it. *IEEE transactions on professional communication*, 57(2), 123-146. DOI: 10.1109/TPC.2014.2312452.
- McKnight, D. H., Choudhury, V., & Kacmar, C. (2002). Developing and validating trust measures for e-commerce: An integrative typology. *Information systems research*, 13(3), 334-359. DOI: 10.1287/isre.13.3.334.81.
- Moore, G. C., & Benbasat, I. (1991). Development of an instrument to measure the perceptions of adopting an information technology innovation. *Information systems research*, 2(3), 192-222. DOI: 10.1287/isre.2.3.192.
- Peppers, K., Tuunanen, T., Rothenberger, M. A., & Chatterjee, S. (2007). A design science research methodology for information systems research. *Journal of management information systems*, 24(3), 45-77. DOI: 10.2753/MIS0742-1222240302.
- Petter, S., Straub, D., & Rai, A. (2007). Specifying formative constructs in information systems research. *MIS quarterly*, 623-656. DOI: 10.2307/25148814.
- Rogers, R. W. (1975). A protection motivation theory of fear appeals and attitude change¹. *The journal of psychology*, 91(1), 93-114. DOI: 10.1080/00223980.1975.9915803.
- Salimifard, K., & Wright, M. (2001). Petri net-based modelling of workflow systems: An overview. *European journal of operational research*, 134(3), 664-676. DOI: 10.1016/S0377-2217(00)00292-7.
- Segars, A. H., & Grover, V. (1993). Re-examining perceived ease of use and usefulness: A confirmatory factor analysis. *MIS quarterly*, 517-525. DOI: 10.2307/249590.

- Sharma, R., Yetton, P., & Crawford, J. (2009). Estimating the effect of common method variance: the method—method pair technique with an illustration from TAM research. *Mis Quarterly*, 473-490. DOI: 10.2307/20650305.
- Shereen, M. A., Khan, S., Kazmi, A., Bashir, N., & Siddique, R. (2020). COVID-19 infection: Emergence, transmission, and characteristics of human coronaviruses. *Journal of advanced research*, 24, 91-98. DOI: 10.1016/j.jare.2020.03.005.
- Sohrabi, C., Alsafi, Z., O'Neill, N., Khan, M., Kerwan, A., Al-Jabir, A., ... & Agha, R. (2020). World Health Organization declares global emergency: A review of the 2019 novel coronavirus (COVID-19). *International journal of surgery*, 76, 71-76. DOI: 10.1016/j.ijssu.2020.02.034.
- Szajna, B. (1996). Empirical evaluation of the revised technology acceptance model. *Management science*, 42(1), 85-92. DOI: 10.1287/mnsc.42.1.85.
- Tam, K. Y., & Ho, S. Y. (2006). Understanding the impact of web personalization on user information processing and decision outcomes. *MIS quarterly*, 865-890. DOI: 10.2307/25148757.
- Thompson, R. L., Higgins, C. A., & Howell, J. M. (1991). Personal computing: Toward a conceptual model of utilization. *MIS quarterly*, 125-143. DOI: 10.2307/249443.
- Van der Aalst, W. (2000). Loosely coupled interorganizational workflows: modeling and analyzing workflows crossing organizational boundaries. *Information & management*, 37(2), 67-75. DOI: 10.1016/S0378-7206(99)00038-5.
- Van der Aalst, W. M. (1998). The application of Petri nets to workflow management. *Journal of circuits, systems, and computers*, 8(01), 21-66. DOI: 10.1142/S0218126698000043.
- Vandenbosch, B., & Higgins, C. A. (1995). Executive support systems and learning: a model and empirical test. *Journal of Management information systems*, 12(2), 99-130. DOI: 10.1080/07421222.1995.11518083.
- Venkatesh, V., Morris, M. G., Davis, G. B., & Davis, F. D. (2003). User acceptance of information technology: Toward a unified view. *MIS quarterly*, 425-478. DOI: 10.2307/30036540.
- Venkatesh, V., Thong, J. Y., & Xu, X. (2012). Consumer acceptance and use of information technology: extending the unified theory of acceptance and use of technology. *MIS quarterly*, 157-178. DOI: 10.2307/41410412.
- Wang, J., Li, Y., & Rao, H. R. (2017). Coping responses in phishing detection: an investigation of antecedents and consequences. *Information Systems Research*, 28(2), 378-396. DOI: 10.1287/isre.2016.0680.
- Wixom, B. H., & Todd, P. A. (2005). A theoretical integration of user satisfaction and technology acceptance. *Information systems research*, 16(1), 85-102. DOI: 10.1287/isre.1050.0042.
- Wu, J., & Lederer, A. (2009). A meta-analysis of the role of environment-based voluntariness in information technology acceptance. *MIS quarterly*, 419-432. DOI: 10.2307/20650298.
- Wu, Z., & McGoogan, J. M. (2020). Characteristics of and important lessons from the coronavirus disease 2019 (COVID-19) outbreak in China: summary of a report of 72 314 cases from the Chinese Center for Disease Control and Prevention. *jama*, 323(13), 1239-1242. DOI: 10.1001/jama.2020.2648.
- Xu, L., Liu, H., Wang, S., & Wang, K. (2009). Modelling and analysis techniques for cross-organizational workflow systems. *Systems Research and Behavioral Science: The Official Journal of the International Federation for Systems Research*, 26(3), 367-389. DOI: 10.1002/sres.978.
- Zheng, Y. Y., Ma, Y. T., Zhang, J. Y., & Xie, X. (2020). COVID-19 and the cardiovascular system. *Nature reviews cardiology*, 17(5), 259-260. DOI: 10.1038/s41569-020-0360-5.

Appendix 1. Survey Items

Digital resilience refers to “the phenomena of designing, deploying, and using information systems to quickly recover from or adjust to major disruptions from such shocks”³. Under the threat of the COVID-19, an organization (company) can conduct digital resilience measures in management information systems to secure individual’s (customer) health. As a customer, you need to do groceries in a store. The store builds a digital resilience environment for the entire process to help you avoid potential close physical contacts. For example, at the main entrance, you are required to wear mask and check temperature. Both activities will be implemented automatically by sensors that are designed and controlled by a digital resilience-evolved workflow management system. What you need to do is to follow the procedure to cooperate, otherwise, you will be denied access to the store. The following questions will be used to estimate how you think about digital resilience measures and to what extent that you would like to conduct digital resilience to prevent yourself and others from the potential infection of COVID-19.

Demographic Information

1. Please select your age scope

(1) 20-30, (2) 30-40, (3) 40-50, (4) 50-60, (5) Above 60

2. Please select your gender

(1) Male, (2) Female

3. Please select your education level

(1) Below high school, (2) High school, (3) Junior College, (4) Bachelor, (5) Above

4. Please select your working experience length

(1) Less than 1 year, (2) less than 3 years, (3) 3-5 years, (4) 5-10 years, (5) more than 10 years

Perceived Usefulness (Performance Expectancy) (Davis, 1989; Venkatesh et al., 2003; Johnston et al., 2010)

PE1. Digital resilience measures are suitable for protecting COVID-19 infection.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

PE2. Digital resilience measures are effective to protect COVID-19 infection.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

PE3. When adopting digital resilience measures, I believe that protecting COVID-19 infection is more likely to be guaranteed.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

³ MISQ Special Issue on Digital Resilience (2020).

Website: <https://www.misq.org/skin/frontend/default/misq/pdf/CurrentCalls/DigitalResilience.pdf>.

ISSN © 2023 INATGI (Institute of Advanced Technology and Green Innovation). Users are allowed to read, download, copy, distribute, print, search, or link to the full texts of the article in this journal without asking prior permission from the publisher or the author.

See: <https://inatgi.in/index.php/jtis/index> for more information. <https://doi.org/10.63646/MNDA1872>

Perceived Ease of Use (Effort Expectancy) (Davis, 1989; Venkatesh et al., 2003; Bhattacharjee et al., 2007)

EE1. Learning to obey digital resilience measures against COVID-19 will be easy for me.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

EE2. I can easily become skillful at using digital resilience measures against COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

EE3. I can understand and follow digital resilience measures to do what I should do to fight against COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

EE4. Overall, digital resilience measures against COVID-19 are easy to use.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

Subjective Norm (Social Influence)

SN1. People who influence my behavior think that I should adopt with digital resilience to prevent myself from COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

SN2. People who are important to me think that I should adopt digital resilience to prevent myself from COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

Response Costs (Facilitating Conditions) (Venkatesh et al., 2003; Johnston et al., 2010; Lee et al., 2009; Yang et al., 2009)

RC1: I have to spend effort on learning how to use digital resilience measures against COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

RC2: Adopting digital resilience measures against COVID-19 will change my lifestyle.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

RC3: Adopting digital resilience measures against COVID-19 make me feel inconvenience.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

Self-Efficacy (Facilitating Conditions) (Venkatesh et al., 2003; Johnston et al., 2010; Lee et al., 2009)

SE1: It is easy for me to use digital resilience measures against COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

SE2: I have the capability to use digital resilience measures against COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

SE3: I can use digital resilience measures without much effort.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

Perceived Vulnerability (Threat Appraisals) (Roger, 1975; Johnston et al., 2010) Please answer the following questions in terms of these problems: (1) getting confused for not being familiar with digital resilience measures against COVID-19; (2) having little knowledge about digital resilience against COVID-19 or self-care of COVID-19.

PV1. I am at risk of suffering from the stated problems.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

PV2. It is likely that I will suffer the stated problems.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

PV3. It is possible for me to suffer from the stated problems.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

Perceived Severity (Threat Appraisals) (Roger, 1975; Johnston et al., 2010) Please answer the following questions in terms of these problems: (1) getting confused for not being familiar with digital resilience measures against COVID-19; (2) having little knowledge about digital resilience against COVID-19 or self-care of COVID-19.

PS1: If I suffered the stated problems, it would be severe.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

PS2: If I suffered the stated problems, it would be serious.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

PS3: If I suffered the stated problems, it would be significant.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

Behavioral Intention (Venkatesh et al., 2003; Johnston et al. 2010)

BI1. I intend to adopt with digital resilience measures to protect myself from COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

BI2. I predict I will use digital resilience measures to protect myself from COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

BI3. I plan to use digital resilience measures to protect myself from COVID-19.

(1) strongly disagree, (2) disagree, (3) neutral, (4) agree, (5) strongly agree

Appendix 2. Supplemental Tables

Table A1. Main Variables and Explanations

SIR Model		Workflow Management System	
Variable	Description	Variable	Description
q	The contact ratio	i	The starting place
I	Infectious	B	Business/Company
I_0	The initial value of infectious	C	Customer
I_{MAX}	The maximal number of infectious	F	A set of directed arcs
R	Removal	O_i	A terminal goal (O_1, O_2, O_3)
R_0	The initial value of removal	F_l	A labeling or weight function
S	Susceptive	P	A finite set of places.
S_0	The initial value of susceptible	T	A finite set of transitions
TR	Total Population	M_0	The start marking
α	The removal rate	S_l	A finite set of activity labels
γ	The rate of increase in the infectious	ϕ	A set of messages

Table A2. Explanations of Messages between Customer and Business

Message	Notification	Explanation
[(Access, C, B)]	Access represents access.	In (Access, C, B) means a store receives request of access from a customer.
[(Cap, B, C)]	Cap represents store capacity check.	Out (Cap, B, C) means a store sends capacity check to a customer.
[(Temp, SC, C)]	Temp represents customer body temperature check.	Out (Temp, SC, C) means Sensor Checking System sends temperature check to a customer.
[(Mask, SC, C)]	Mask represents customer wearing mask check.	Out (Mask, SC, C) means Sensor Checking System sends mask check message to a customer.
[(N_Cap, B, C)]	N_Cap represents a store isn't full.	In (N_Cap, B, C) means a store sends a message of it is not full to customer.
[(Y_Cap, B, C)]	Y_Cap represents a store is full.	In (Y_Cap, B, C) means a store receives a message of it is full.
[(N_Tem, SC, C)]	N_Tem represents temperature check fails.	In (N_Tem, SC, C) means Sensor Checking System receives a message of temperature fails. Out (N_Tem, SC, C) means Sensor Checking System sends a message of temperature fails to a customer.
[(Y_Tem, SC, C)]	Y_Tem represents temperature check passes.	In (Y_Tem, SC, C) means Sensor Checking System receives a message of temperature passes from a store.
[(N_Mas, SC, C)]	N_Mas represents no wearing mask.	In (N_Mas, SC, C) means Sensor Checking System receives a message of mask check fails.

		Out (N_Mas, SC, C) means Sensor Checking System sends a message of maks check fails to a customer.
[(Y_Mas, SC, C)]	Y_Mas represents wearing mask.	In (Y_Mas, SC, C) means Sensor Checking System receives a message of mask check passes.
[(Pur, C, PM)]	Pur represents purchasing procedure.	In (Pur, C, PM) means Purchasing Monitoring System receives a message of purchasing from a customer.
[(Pur, PM, C)]	Pur represents purchasing procedure.	Out (Pur, PM, C) means Purchasing Monitoring System sends a message of purchasing to a customer.
[(Pay, C, PA)]	Pay represents payment procedure.	In (Pay, C, PA) means Payment Assistant System receives a message of payment from a customer.
[(Pay, PA, C)]	Pay represents payment procedure.	Out (Pay, PA, C) means Payment Assistant System sends a message of payment to a customer.
[(N_Deli, C, DA)]	N_Deli represents no delivery request.	Out (N_Deli, C, DA) means a customer sends a message of no delivery to Delivery Assistant System.
[(Y_Deli, C, DA)]	Y_Deli represents requesting delivery.	In [(Y_Deli, C, DA)] means Delivery Assistant System receives a message of delivery from a customer.
[(N_Ser, C, CS)]	N_Ser represents no customer service request.	Out [(N_Ser, C, CS)] means a customer sends a message of customer service to Customer Service System.
[(Y_Ser, C, CS)]	Y_Ser represents requesting customer service.	In [(Y_Ser, C, CS)] means Customer Service System receives a message of customer service from a customer.
Notes: 1. The format of an exchanged message is: (Msg, Sender, Receiver). 2. Msg is the key message, Sender or Receiver is one of the six role players. 3. In represents a receiving message from sender to receiver, Out represents a sending message from sender to receiver.		

Table A3. Constructs, Theories, Definition, and Reference

Constructs	Theory	Definition	Origin
Perceived Usefulness	TAM	“The degree to which a person believes that using a particular system would enhance his or her job performance”.	Davis, 1989
Perceived Ease of Use	TAM	“The degree to which a person believes that using a particular system would be free of effort”.	Davis, 1989
Subjective Norm	TRA	“The person’s perception that most people who are important to him think he should or should not perform the behavior in question”.	

Facilitating Conditions (RC)	UTAUT	Costs “in the environment that observers agree make an act easy to accomplish”.	Venkatesh, et al., 2003
Facilitating Conditions (SE)	UTAUT	Self-efficacy is that “People's judgments of their capabilities to organize and execute courses of action required to attain designated types of performances. It is concerned not with the skills one has but with judgments of what one can do with whatever skills one possesses”.	Venkatesh, et al., 2003
Threat Appraisals (PV)	PMT	Perceived vulnerability is “the probability that one will experience harm”.	Rogers, 1975
Threat Appraisals (PS)	PMT	Perceived Severity is “the degree of harm from misconduct behavior”.	Rogers, 1975
Behavioral Intention	TRA	“An individual’s positive or negative feelings (evaluative affect)” about performing the target behavior.	

Table A4. Statistical Measures, Parameters, and Interpretations (Alphabetical)

Measure	Threshold	Results and Interpretations
AVE (average variance extracted)	>0.50	Range is between 0.815 and 0.978. Good reliability.
CR (composite reliability)	>0.70	Range is between 0.723 and 0.916. Good reliability.
HTMT (Heterotrait-Monotrait Ratio of Correlations)	<1.0	All HTMTs of constructs are below 1 indicating that the constructs have good discriminant validity.
Loadings	>0.70	Most factors’ loadings are greater 0.70. The model has good convergent validity.
NFI (Normed Fit Index or Bentler and Bonett Index)	Closer to 1	SRMR is 0.074 indicating a good fit.
SRMR (Standardized Root Mean Square Residual)	<0.08	NFI = 0.957 indicating a good fit.
VIF (Variance Inflation Factor)	<3 or <3.3	There is no collinearity issue, because most VIFs are less than 3, others are below 3.3.

Appendix 3. DSRM Process Model




Figure A1. DSRM Process Model